A-STAR: Enrolment & Baseline		
Patient Study ID: IIII IIIIIIIIIIIIIIIIIIIIIIII		

Study enrolment	
Date patient signed informed consent	(DD-MMM-YYYY)
Date patient enrolled	(DD-MMM-YYYY)
Date of baseline visit	(DD-MMM-YYYY)
Is the patient part of an Early Access Medical Scheme (EAMS)?	🗆 Yes 🗆 No

BEACON Study Co-enrolment		
Is the patient co-enrolled into the BEACON study?	🗆 Yes 🗆 No	
If yes, what was the date of BEACON enrolment?	(DD-MMM-YYYY)	
If yes, what is participant's BEACON study ID?		
	Abrocitinib	
	Baricitinib	
	Oral Ciclosporin	
If yes, which medication have	Oral Methotrexate	
they been randomised to (on BEACON)?	Subcutaneous Dupilumab	
	🗆 Tralokinumab	
	🗆 Upadacitinib	
	Other (specify below):	

A-STAR: Enrolment & Baseline		
Patient Study ID:	Patient Study ID: Initials:	

A-STAR Informed consent		
Has the patient signed an Informed Consent/Assent Form?	🗆 Yes 🗆 No	
If the patient is a minor, have the parents/guardians signed an Informed Consent Form?	□ Yes □ No □ N/A	
Has the patient or parent/guardian agreed to provide samples for DNA analyses?	🗆 Yes 🗆 No	
Has the patient or parent/guardian signed the Informed Consent Form for the Optional Biorepository Sub-Study?	□ Yes □ No □ N/A	
Has the patient or parent/guardian agreed to be contacted in the future for further investigation and samples?	🗆 Yes 🗆 No	

Inc	Inclusion / exclusion criteria		
Inc	lusion criteria:	YES	NO
1	Paediatric and adult patients with atopic eczema who due to the severity of their disease and/or impact on quality of life are commencing on or switching to another systemic immuno-modulatory agent (e.g. CsA, AZA, MTX or biologic treatments).		
2	Written informed consent for study participation obtained from the patient or parents / legal guardian, with assent as appropriate by the patient, depending on the level of understanding.		
3	Participant's consent to participate in long-term follow up and access to all medical records, including hospital admission records and linkage to data held by NHS bodies or other national providers of healthcare data.		
4	Diagnosis of atopic eczema in keeping with the UK/Irish diagnostic criteria.		
5	Willingness to comply with all study requirements.		
6	Competent use of English language, according to patient's age (capable of understanding patient questionnaires).		

A-STAR: Enrolment & Baseline		
Patient Study ID:	Initials:	

Inclusion / exclusion criteria			
Exclusion criteria: YES		NO	
1	Insufficient understanding of the study by the patient and/or parent/guardian.		
2	Patients who are currently participating in a randomised clinical trial.		

UK diagnostic criteria			
Pat	ients must have:	YES	NO
1	An itchy skin condition in the last year		
Plu	Plus three (or more) of the following:		
1	Visible flexural dermatitis		
2	History of flexural involvement		
3	History of generally dry skin		
4	Personal history of atopic disease (children under 4 years: family history of atopic disease)		
5	Onset before the age of 2 years (not used if child aged under 4 years)		

Baseline date	
Visit date	(DD-MMM-YYYY)

Height and weight		
Height (≤16 years of age)	.  (cm)	
Weight	.    (kg)	

A-STAR: Enrolment & Baseline		
Patient Study ID:	Initials:	

Demographics				
Date of birth	(DD-MMM-YYYY)			
Sex at birth	<ul> <li>Female <ul> <li>Male</li> <li>Undifferentiated <ul> <li>Unknown</li> </ul> </li> </ul></li></ul>			
Country of birth	Participant: or 🗆 Unknown			
Ethnicity (multiple boxes can be ticked)	<ul> <li>White (Europe, Russia, Middle East, North Africa, USA, Canada, Australia)</li> <li>Black African, Afro-Caribbean</li> <li>African-American</li> <li>Asian-Chinese</li> <li>South Asian (India, Pakistan, Sri Lanka, Nepal, Bhutan, Bangladesh)</li> <li>Any other Asian background (Korea, China north of Huai- River)</li> <li>Japanese</li> <li>Hispanic or Latino</li> <li>Other; please specify:</li> </ul>			
Education status (ISCED 2011)	Use the highest education level of the patient, or the parents in case of a minor ISCED 0: Early childhood education (early educational development) ISCED 0: Early childhood education (Pre-primary education) ISCED 1: Primary education ISCED 2: Lower secondary education ISCED 3: Upper secondary education ISCED 4: Post-secondary non-tertiary education ISCED 5: Short-cycle tertiary education ISCED 6: Bachelor's or equivalent level ISCED 7: Master's or equivalent level ISCED 8: Doctoral or equivalent level			

A-STAR: Enrolment & Baseline			
Patient Study ID:	Initials:		

	Employed			
	Self-employed			
	Disability pension (unable to work)			
	Retired			
Occupation	Student or pupil			
	Engaged on home duties			
	Unemployed			
	Other:			

Eczema diagnosis	
Date of onset	(MMM-YYYY) 🗆 Unknown
How was the diagnosis of eczema established?	Clinically:   Yes  No
	Histopathology: 🗆 Yes 🗆 No

Past eczema treatments: Topical therapy (multiple can be selected)				
Corticosteroid	Crisaborole			
Calcineurin inhibitors	Other			
Tar ointments				

A-STAR: Enrolment & Baseline				
Patient Study ID:	Initials:			

Past eczema treatments: phototherapy				
Enter all treatment courses separately (and for additional therapies print further CRF pages).				
The patient has <u>never</u> received phototherapy before.				
Type of therapy:	Reason for stopping:			
	Insufficient response			
□ UVA-1	Relapse (after initial good response)			
□ Narrowband-UVB	□ Side effect			
Broadband-UVB	Cumulative dose			
UVB (unspecified)				
	□ Other (specify):			
PUVA (oral or other)				
□ Other:				
	Start date: (MMM-YYYY)			
Cumulative dose:    J/cm <sup>2</sup>				
Effect:	Course number:			
Excellent (Clearance)	(To count as a separate course, one has to			
□ Good	be off therapy for at least 3 months.)			
Moderate				
Poor				
🗆 Unknown				

A-STAR: Enrolment & Baseline						
Patient Study ID:						Initials:

Past eczema treatments: Systemic therapy		
Enter all treatment courses separately (and for additional therapies print further CRF pages).		
Name of therapy:	🗆 Lebrikizumab	
Oral Azathioprine	Nemolizumab	
Oral Ciclosporin	Rocatinlimab	
Oral Methotrexate	Subcutaneous Dupilumab	
Oral Mycophenolate mofetil	🗆 Tralokinumab	
Oral Prednisolone	Upadacitinib	
Subcutaneous Methotrexate	Other (specify below, including route of	
Subcutaneous Omalizumab	administration):	
🗆 Abrocitinib		
🗆 Baricitinib	<ul> <li>Investigational medication (specify below &amp; route of administration):</li> </ul>	
	·	
Main treatment dose:	ng	
Frequency:  Daily  Weekly  Ot	her	
Start date:		
Duration (months):		
Effect:	Reason for stopping:	
Excellent (Clearance)	Insufficient response	
□ Good	Relapse (after initial good response)	
Moderate	□ Side effect	
Poor	Cumulative dose	
🗆 Unknown		
	Other:	
Course number:		
	as to be off therapy for at least 3 months.)	

A-STAR: Enrolment & Baseline				
Patient Study ID:	Initials:			

Past eczema treatments: Hospitalisations			
Hospitalization for eczema (inpatient) in the last 3 months	□ Yes □ No If yes, please report total number of days:		
Hospital day care appointments for eczema (outpatient) in the last 3 months	□ Yes □ No If yes, please report total number of visits:		

## **Current eczema treatment**

#### **Current topical therapy**

Is the patient taking any topical therapy? 
Solution Yes 
No

If yes, record details in separate **<u>Current Topical Therapy</u>** paper CRF.

#### **Current phototherapy**

Is the patient taking any phototherapy? 

Yes No

If yes, record details in separate **<u>Current Phototherapy</u>** paper CRF.

New systemic therapy

Please record details in separate **<u>New Systemic Therapy</u>** paper CRF.

Allergic comorbidities	
Asthma	(Physician diagnosed) 🗆 Yes 🗆 No 🗆 Unknown
Allergic rhinoconjunctivitis	(Physician diagnosed) 🗆 Yes 🗆 No 🗆 Unknown
Atopic eye disease	(Physician diagnosed) 🗆 Yes 🗆 No 🗆 Unknown
Eosinophilic oesophagitis	(Physician diagnosed) 🗆 Yes 🗆 No 🗆 Unknown
Food allergy	

A-STAR: Enrolment & Baseline		
Patient Study ID:	Initials:	

Does the patient have any food	□ Yes □ No
allergies?	If yes, please specify the type(s) of food:
If yes, was at least one diagnosed by a doctor?	🗆 Yes 🗆 No
If yes, how was the diagnosis	Double-blind placebo-controlled oral food challenge
made?	Open food challenge
	□ Skin prick test
	□ Scratch test
	Specific IgE test
	Other (e.g. Atopy Patch Test)
	🗆 Unknown
Date of the test performed:	
Contact allergies	
Has the patient ever been assessed for contact allergies with patch testing?	□ Yes □ No □ Unknown
If yes, what was the outcome?	Negative Desitive Unknown
	If positive, please specify the type(s) of food contact allergy?
Date of the test performed:	
Aeroallergen sensitisation	
Is the patient significantly	🗆 Yes 🗆 No 🗆 Unknown
sensitised to at least one aeroallergen?	If positive, please specify the type(s) of aeroallergen?
If yes, how was the diagnosis made?	Skin prick test Specific IgE test

A-STAR: Enrolment & Baseline	
Patient Study ID:	Initials:

Date of the	test	performed	1:
Dute of the		periornice	•••

Other comorbidities		
Malignancies (for additional history print further CRF pages)		
Diagnosis:		
Lymphoproliferative	Solid tumours	
🗆 Lymphoma	Brain neoplasms	
Myeloma	Glioblastoma	
🗆 Leukaemia		
Other lymphoproliferative:	Year of diagnosis:	
	Status: O Active O In remission O Relapsed	
Year of diagnosis:	Diagnosis and further details:	
Status: O Active O In remission O		
Relapsed		
Skin cancer		
Non-melanoma skin cancer		
Melanoma		
Other skin cancer:		
Year of diagnosis:		
Status: O Active O In remission O		
Relapsed		

A-STAR: Enrolment & Baseline		
Patient Study ID:	Initials:	

Serious infections (pneumonia, septicaemia, bone/joint infection, opportunistic infection, soft tissue/skin infection and tuberculosis)	
(for additional history print further CRF pages)	
Diagnosis:	
Year of diagnosis: Status:  Active  Latent  Resolved	
Diagnosis:	
Year of diagnosis: Status:  Active  Latent  Resolved	
Diagnosis:	
Year of diagnosis: Status:  Active  Latent  Resolved	
Diagnosis:	
Year of diagnosis: Status:  Active  Latent  Resolved	

Other comorbidities (for additional history print further CRF pages)		
Diagnosis:		
Year of diagnosis: Status:  Ongoing  Resolved		
Diagnosis:		
Year of diagnosis:     Status:  Ongoing  Resolved		
Diagnosis:		
Year of diagnosis:     Status:  Ongoing  Resolved		
Diagnosis:		
Year of diagnosis:     Status:  Ongoing  Resolved		

7

A-STAR: Enrolment & Baseline		
Patient Study ID:		Initials:

Family history (Note: First degree relative refers to a parent, sibling or child)		
First degree relative with atopic eczema?	🗆 Yes 🗆 No 🗆 Unknown	
First degree relative with asthma?	🗆 Yes 🗆 No 🗆 Unknown	
First degree relative with allergic rhino- conjunctivitis?	🗆 Yes 🗆 No 🗆 Unknown	
First degree relative with eosinophilic oesophagitis?	🗆 Yes 🗆 No 🗆 Unknown	
First degree relative with atopic eye disease:	🗆 Yes 🗆 No 🗆 Unknown	
Other allergic diseases (please specify):		

## Concomitant medication

Is the patient taking any other concomitant medication?  $\Box$  Yes  $\Box$  No

If yes, record details in separate Concomitant Medication paper CRF.

General eczema questions		
Exposures that trigger disease flares:	🗆 Yes 🗆 No	
	If yes, please select (multiple can be	
	selected):	
	□ Stress	
	□ Infection	
	Weather condition	
	□ Sweating/exercise	
	Exposure to aero-allergens	
	□ Other :	

A-STAR: Enrolment & Baseline		
Patient Study ID:	Initials:	

Past episodes of skin infections?	🗆 Yes 🗆 No
	If yes, please select:
	Bacterial skin infection (folliculitis,
	impertigo, etc)
	Uiral skin infection (herpes simplex virus
	–HSV-, infection of AE, Molluscum
	contagiosum, etc)
Were any days lost from usual activities	🗆 Yes 🗆 No
(e.g. work, study, holiday etc.) due to eczema in the last 3 months?	If yes, how many days in total in the last 3
······································	months:

Baseline skin examination (with oversight by a dermatologist)	
🗆 Type I	
🗆 Type II	
🗆 Type III	
Type IV	
🗆 Type V	
🗆 Type VI	

### **Clinical phenotype**

For guidance on the recognition of flexural and non-flexural eczema (dermatitis) see online training manual.

Pay particular attention to black skin. Redness may be difficult to see and is not an essential criterion but there must be surface change (i.e. scaling, vesicles, oozing, crusting and/or lichenification).

A-STAR: Enrolment & Baseline	
Patient Study ID:	Initials:

Flexural eczema	🗆 Yes 🗆 No
	If yes, which areas are involved (individual patches have to be ≥1cm)?
	O Ankles
	${ m O}$ Flexures of the arms (antecubital fossae)
	O Flexures of the legs (popliteal fossae)
	O Neck
	O Skin fold(s) around the eyes
Non-flexural eczema	🗆 Yes 🗆 No
	If yes, which areas are involved?
	O Arms (at least one patch ≥2cm diameter BOTH sides)
	O Elbows (patch ≥2cm diameter)
	O Face (at least one non-flexural patch ≥2cm diameter)
	O Hands (patch ≥2cm diameter BOTH sides)
	O Knees (patch ≥2cm diameter)
	O Legs (at least one patch ≥2cm diameter BOTH sides)
Evidence of pompholyx (vesicular eczema) or a history of pompholyx	🗆 Yes 🗆 No
Discoid eczema (at least 5 circular patches in total, each patch ≥2cm diameter)	🗆 Yes 🗆 No
Nodular prurigo (≥5 palpable nodules of the skin from long- term scratching (usually on the legs or arms), ≥1cm diameter each)	□ Yes □ No

A-STAR: Enrolment & Baseline	
Patient Study ID:	Initials:

Follicular eczema (widespread eczematous hair follicle involvement, more commonly seen in darker skin types)	□ Yes □ No
Widespread fine scale predominantly affecting the non- flexural areas of the limbs and body (ichthyosis)	□ Yes □ No
Keratosis pilaris (thickening around the base of hair follicles over upper arms, thighs or cheeks)	🗆 Yes 🗆 No
Palmar hyperlinearity	□ Yes □ No
Erythroderma (≥90% BSA involvement)	🗆 Yes 🗆 No

Skin infections	
Current skin infection	🗆 Yes 🗆 No
Swab taken?	🗆 Yes 🗆 No
Bacterial infections (1)	🗆 Yes 🗆 No
	If yes, organism:
	O Methicillin Sensitive Staphylococcus Aureus (MSSA)
	O Methicillin Resistant Staphylococcus Aureus (MRSA)
	O Streptococcus
	O Other organism:
	Body site:

A-STAR: Enrolment & Baseline	
Patient Study ID:	Initials:

Bacterial infections (2)	🗆 Yes 🗆 No
	If yes, organism:
	O Methicillin Sensitive Staphylococcus Aureus (MSSA)
	O Methicillin Resistant Staphylococcus Aureus (MRSA)
	O Streptococcus
	O Other organism:
	Body site:
Viral infections (1)	🗆 Yes 🗆 No
	If yes, organism:
	O Herpes simplex
	O Varicella zoster
	O Other organism:
	Body site:
Viral infections (2)	🗆 Yes 🗆 No
	If yes, organism:
	O Herpes simplex
	O Varicella zoster
	O Other organism:
	Body site:
Fungal infection (1)	Fungal scraping taken:   Yes  No
	Organism:
	Body site:
1	

A-STAR: Enrolment & Baseline	
Patient Study ID:	Initials:

Fungal infection (2)	Fungal scraping taken:   Yes  No
	Organism:
	Body site:

Severity assessments (can be done by any appropriately trained staff)	
EASI	Test performed: 🗆 Yes 🛛 No
(Score 0-72)	Date:
	Total score:    .
vIGA-AD™ scale (5-point)	Test performed: 🗆 Yes 🛛 No
	🗆 0 - Clear
	🗆 1 – Minimal
	$\Box$ 2 – Mild
	□ 3 – Moderate
	□ 4 – Severe

<b>Patient reported outcomes</b> (can use questionnaires user guides to enter answers from the questionnaires/paper CRF onto the eCRF)	
ΡΟΕΜ	Test performed:   Yes  No
Please indicate who has completed the form:	Date:
Patient  Caregiver	
Itch severity (NRS)	Test performed:   Yes  No
	Date:
Please select:	Test performed:   Yes  No
EQ5D-Y (4-16 years old )	Date:
EQ5D-5L (adults)	

Г

A-STAR: Enrolment &	Baseline
Patient Study ID:	Initials:

Please select:	Test performed: 🗆 Yes 🗆 No
O IDQOL (<4 years)	Date:
O <b>CDLQI</b> (4-15 years)	
O <b>DLQI</b> (≥16 years)	
Asthma control test (≥ 12 years)	Test performed: 🗆 Yes 🗆 No
	Date:

Safety investigations
Were any safety tests performed for this visit?  Ves  No
If yes, record details directly into eCRF, or, on separate Safety Tests paper CRF.

Imaging at baseline	
-	- Chest X-ray: 🗆 Yes 🗆 No
performed?	If yes, date:
	- CT scan:  Ves No
	If yes, date:
	- MRI scan:  Yes INO
	If yes, date:
	- Fibroscan:  Ves No
	If yes, date:
	If yes, please tick result:
	Cirrhosis
	Fatty Liver Disease

A-STAR: Enrolment &	Baseline
Patient Study ID:	Initials:

Normal
□ Not performed
□ Not reported
O Fibroscan Score :

Baseline management	
Main reason(s) for choosing specific treatment (systemic or phototherapy)	Comorbidities and/or results of baseline investigations
	Drug safety and side effect profile
	<ul> <li>Anticipation of pregnancy and other family planning issues for both males and females</li> </ul>
	Patient age
	<ul> <li>History of prior systemic therapies (including response)</li> </ul>
	<ul> <li>Accessibility of treatment (including licensing)</li> </ul>
	Patient preference
	Therapeutic profile (select all that apply)
	O Speed of onset
	O Magnitude of effect
	O Better long-term control after drug is stopped
	Other:
Relative	□ Yes □ No
contraindication(s) for selected treatment	If yes, please specify:

A-STAR: Enrolment &	Baseline
Patient Study ID:	Initials:

Research sample donation (ALL SITES)	
Sample for DNA extraction	Has the patient consented?
	Has the research sample been taken? $\Box$ Yes $\Box$ No
	If yes, date of research sample taken:

# **Bioresource samples (BIORESOURCE SITES ONLY)**

Were any Bioresource samples this visit? 
Yes No

If yes, record details in separate **Bioresource Samples** paper CRF.

Details of team member completing/overseeing the skin examination	
Name:	
Details of team member completing this CRF	
Name:	
Signature:	
Date:	